

INTRAMA

Films & Applications



Flexible Solutions for Flexible Packaging!

Top In **Form In** **Flow In** **Plex In** **Lam In** **Print In**

Top In MB / HB

Gornja folija
za trejsiler i
termoforming mašine

Top films for
traysealers and
thermoforming machines

9-to slojna
ko-ekstrudirana tehnologija

9 layer
co-extrusion technology

9-to slojna
fleksibilna folija od
PA/PE ili PA/EVOH/PE

9 layer
flexible films of
PA/PE or PA/EVOH/PE



Eigenschaften	Properties
Transparentna	Transparency
Sjajna	Gloss
Otporna na probijanje	Puncture resistance
Odlično lepljenje	Excellent sealing
Direktna štampa do 8 boja	Surface print up to 8 colors

Stärke / Thickness	Barriere / Barrier
TOP IN MB 60–100 µm	Srednja / Medium
TOP IN HB 60–100 µm	Visoka / High

Anwendungen	Applications
Vakuum pakovanje	Vacuum packaging
MAP pakovanje	MAP packaging

Produkte	Products
Mesni	Meat
Riblji	Fish
Mlečni	Dairy
Ne prehrambeni	Non-food

Funktionalitäten	Features
Anti-fog	Anti-fog
Lock seal sa PE	Lock seal to PE
Easy peel sa PE	Easy peel to PE

Top In LMB / LHB

Gornja laminirana folija za trejsiler i termoforming mašine

Top laminated films for traysealers and thermoforming machines

9-to slojna ko-ekstrudirana tehnologija + laminiranje

9 layer co-extrusion technology + lamination

11-to slojna fleksibilna folija od PA/PE – PA/PP – PA/EVOH/PE i PA/EVOH/PP Laminirana sa PET ili PP

11 layer flexible films of PA/PE – PA/PP – PA/EVOH/PE and PA/EVOH/PP laminated with PET or PP



Eigenschaften	Properties
Transparenta	Transparency
Sjajna	Gloss
Otporna na probijanje	Puncture resistance
Odlično lepljenje	Excellent sealing
Negativ - štampa do 8 boja	Reverse print up to 8 colors

Stärke / Thickness	Barriere / Barrier
TOP IN L MB 35–75 µm	Srednja / Medium
TOP IN L HB 35–75 µm	Visoka / High

Anwendungen	Applications
Vakuum pakovanje	Vacuum packaging
MAP pakovanje	MAP packaging

Produkte	Products
Mesni	Meat
Riblji	Fish
Mlečni	Dairy
Pekarski	Bakery
Ne prehrambeni	Non-food

Funktionalitäten	Features
Anti-fog	Anti-fog
Lock seal sa PE ili PP	Lock seal to PE or PP
Easy peel sa PE ili PP	Easy peel to PE or PP

Form In SMB / HB

Donja folija za termoforming mašine

Bottom films for thermoforming machines

9-to slojna ko-ekstrudirana tehnologija

9 layer co-extrusion technology

9-to slojna fleksibilna
Folija od PA/PE
ili PA/EVOH/PE

9 layer flexible
films of PA/PE
or PA/EVOH/PE



Eigenschaften	Properties
Transparentna	Transparency
Sjajna	Gloss
Otporna na probijanje	Puncture resistance
Odlično termoformiranje	Excellent thermoforming
Odlično lepljenje	Excellent sealing

Stärke / Thickness	Barriere / Barrier
FORM IN S MB 70–230 µm	Srednja / Medium
FORM IN S HB 70–230 µm	Visoka / High

Anwendungen	Applications
Vakuum pakovanje	Vacuum packaging
MAP pakovanje	MAP packaging

Produkte	Products
Mesni	Meat
Riblji	Fish
Mlečni	Dairy
Ne prehrambeni	Non-food

Form In B MB / HB

Blokirana donja folija za termoforming mašine

Blocked bottom films for thermoforming machines

9-to slojna ko-ekstrudirana tehnologija

9 layer co-extrusion technology

18-to slojna fleksibilna folija od PA/PE ili PA/EVOH/PE

18 layer flexible films of PA/PE or PA/EVOH/PE



Eigenschaften	Properties
Odlično termoformiranje	Excellent thermoforming
Odlično lepljenje	Excellent sealing
Otporna na probijanje	Puncture resistance
Širok spektar boja	Wide color range

Stärke / Thickness	Barriere / Barrier
FORM IN B MB 100–300 µm	Srednja / Medium
FORM IN B HB 100–300 µm	Visoka / High

Anwendungen	Applications
Vakuum pakovanje	Vacuum packaging
MAP pakovanje	MAP packaging

Produkte	Products
Mesni	Meat
Riblj	Fish
Mlečni	Dairy
Ne prehrambeni	Non-food

Flow In MB / HB HT

Folija za Flow pack
mašine

Films for flow pack
machines

9-to slojna
ko-ekstrudirana tehnologija

9 layer
co-extrusion technology

9-to slojna fleksibilna
folija sa hot tack tehnologijom
od PA/PE ili PA/EVOH/PE

9 layer flexible
films with hot tack
of PA/PE or PA/EVOH/PE



Eigenschaften	Properties
Odlično lepljenje	Excellent sealing
Otporna na probijanja	Puncture resistance
Transparentna	Transparency
Sjajna	Gloss
Direktna štampa do 8 boja	Surface print up to 8 colors

Stärke / Thickness	Barriere / Barrier
FLOW IN MB HT 45–90 µm	Srednja / Medium
FLOW IN HB HT 45–90 µm	Visoka / High

Anwendungen	Applications
MAP pakovanje	MAP packaging
Vakuum pakovanje	Vacuum packaging
Transportna pakovanja	Transport packaging

Produkte	Products
Mesni	Bakery
Mlečni	Meat
Pekarski	Dairy
Konditorski	Confectionery
Začini	Spices
Koštunjavi proizvodi	Nuts
Ne prehrambeni	Non-food

Funktionalitäten	Features
Anti-fog	Anti-fog
Lock seal sa PE	Lock seal to PE

Flow In L MB / HB HT

Laminirana folija za flow pack mašine

Laminated films for flow pack machines

9-to slojna ko-ekstrudirana folija + laminiranje

9 layer co-extrusion technology + lamination

11-to slojna fleksibilna folija od PA/PE ili PA/EVOH/PE laminirana sa PET

11 layer flexible films of PA/PE or PA/EVOH/PE laminated with PET



Eigenschaften	Properties
Odlično lepljenje	Excellent sealing
Otporna na probijanje	Puncture resistance
Transparentna	Transparency
Sjajna	Gloss
Negativ - štampa do 8 boja	Reverse print up to 8 colors

Stärke / Thickness	Barriere / Barrier
FLOW IN L MB HT 35–75 µm	Srednja / Medium
FLOW IN L HB HT 35–75 µm	Visoka / High

Anwendungen	Applications
Vakuum pakovanje	Vacuum packaging
MAP pakovanje	MAP packaging
Transportna pakovanja	Transport packaging

Produkte	Products
Pekarski	Bakery
Mesni	Meat
Mlečni	Dairy
Poslastice	Confectionery
Začini	Spices
Koštunjavi proizvodi	Nuts
Ne prehrambeni	Non-food

Funktionalitäten	Features
Anti-fog	Anti-fog
Lock seal sa PE	Lock seal to PE

Plex In DUPLEX / TRIPLEX

Folija sa
specijalnom
strukturuom

Specially
structured
films

Duplex i Triplex
tehnologija laminiranja

Duplex and Triplex
laminating technology



Eigenschaften	Properties
Transparentna i sjajna	Transparency and gloss
Otporna od probijanja	Puncture resistance
Odlično laminiranje	Excellent lamination
Negativ - štampa do 8 boja	Reverse print up to 8 colors

Stärke / Thickness	Barriere / Barrier
PLEX IN duplex 35–150 µm	Niska/srednja/visoka / Low/medium/high
PLEX IN triplex 45–150 µm	Srednja/visoka / Medium/high

Produkte	Products
Kafa	Coffee
Žitarice	Cereals
Testenina	Pasta
Ne prehrambeni	Non-food

Strukturen	Structures
PP/PP	PP/PP
PET/PP	PET/PP
PET/PE	PET/PE
PP/PE	PP/PE
PET/AL/PE	PET/AL/PE
PET/mPET/PE	PET/mPET/PE

Lam In MB / HB

Corona tretirana folija za laminiranje

Corona treated films for lamination

9-to slojna ko-ekstrudirana tehnologija

9 layer co-extrusion technology

9-to slojna fleksibilna folija od PA/PE – PA/PP – PA/EVOH/PE i PA/EVOH/PP

9 layer flexible films of PA/PE – PA/PP – PA/EVOH/PE and PA/EVOH/PP



Eigenschaften	Properties
Corona tretiranje	Corona treated
Transparentna i sjajna	Transparency and gloss
Otporna od probijanja	Puncture resistance
Odlično laminiranje	Excellent lamination

Stärke / Thickness	Barriere / Barrier
LAM IN MB 20–60 µm	Srednja / Medium
LAM IN HB 20–60 µm	Visoka / High

Anwendungen	Applications
Laminiranje sa PET	Lamination with PET
Laminiranje sa PP	Lamination with PP
Laminiranje sa OPA	Lamination with OPA
Laminiranje sa ALU	Lamination with ALU
Laminiranje sa papirom	Lamination with paper

Funktionalitäten	Features
Anti-fog	Anti-fog
Lock seal sa PE ili PP	Lock seal to PE or PP
Easy peel sa PE ili PP	Easy peel to PE or PP

Dostupna je na velikim rolnama do 1350 mm širine

Available in jumbo rolls with up to 1350 mm width

Print In

Flekso štampa do 8 boja

Flexo-printing up to 8 colors

Laminiranje

Lamination

Rezanje

Slitting

Solventna tehnologija

Solvent technology

Pred štampa

Pre-press



Druckfunktionen	Printing capabilities
Direktna štampa	Surface print
Negativ štampa	Reverse print
Obostrana štampa	Two-sided print
Širina štampanja do 820 mm	Print width up to 820 mm
Dužina štampanja do 600 mm	Print length up to 600 mm
Rezulucija štampe 70 L/cm	Print resolution up to 70 L/cm

Druck auf	Printing on
Gornjoj foliji	Flat films
Folijama u crevu	Tubular films
Termoskupljajućim folijama	Thermo-shrinkable films

Druckeffekte	Print effects
Mat	Matt
Lak	Lacquer
Papirni	Paper
Drveni	Wood
Zlatni	Gold
Srebrni	Silver

Beständigkeit gegen	Resistant to
Ulja	Oils
Soli	Salts
Konzervanse	Preservatives
Visoke temperature	High temperatures
Duboka zamrzavanja	Deep freezing



INTRAMA


4201 Benkovski
Plovdiv, Bulgaria
Selski livadi Area, District 34, No 349

www.intrama-bg.com

INTRAMA SRB DOO

18106 Srbija, Niš
Knjaževačka 14C, Donja Vrežina
+381 18 4150 990
www.intrama.rs

21 000 Srbija, Novi Sad
Vuka Mandušića 14
+381 21 6333 663
www.intrama.rs



Flexible Solutions for Flexible Packaging!

Top In Form In Flow In Plex In Lam In Print In